

Real4Prep



Try Before You Buy

Download a free sample of any of our exam questions and answers


- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor...

Select an exam...

Your email address

Free Download



Latest Real Exam

- BIMF
- M2010-701
- FM0-308
- H12-221
- C_SRM_72
- ACMP_6.3
- SDM_2002
- BCABA
- DS-200
- HH0-350
- ST0-250
- A2090-731
- A4120-784
- 250-405
- LRP-614
- 1D0-61A
- M2010-719
- 1z0-100
- ACMP-6.3
- 312-75

Top Certifications

- Dynamics
- OMG Certifi
- MECP Certif
- BEA Syste
- Oracle Certi
- PostgreSQ
- Microsoft Of
- RHCE
- LPIC Level3
- Enterasys
- Certified Tr
- Symantec T
- Motorola So
- ACE Premi
- Acpt
- SCSECA10
- IBM Certifie
- IBM Certifie
- CS5
- Network Ap

Top Vendors

- Ruby
- Android
- LSAT
- Google
- IISFA
- ATS
- IBQH
- ICDL
- Nokia
- USMLE
- AFP
- Hyperion S
- ACSM
- Certiport
- Zend-Techn
- OMG
- Convergenc
- SUN
- Polycom
- VMware

Over **51893+**
Satisfied
Customers



<http://www.real4prep.com>

Latest Real Exam Prep Dumps for IT Exam Preparation

Exam : **C2090-318**

Title : DB2 12 System Administrator
for z/OS

Vendor : IBM

Version : DEMO

NO.1 Given the following scenario:

A table has been dropped accidentally and you need to restore the object. DSN1COPY will be used to restore the object but the PSID and the original OBID of the object is not known.

Which stand alone utility will allow you to retrieve that information?

- A. DSNJLOGF
- B. DSN1LOGP
- C. DSN1PRNT
- D. DSN1SDMP

Answer: C

NO.2 To initiate a system checkpoint without modifying the current LOGLOAD value, which of the following should be issued?

- A. -SETLOGLOGLOAD(O)
- B. -SET LOG BOTH CHKTIME(10) LOGLOAD(500000)
- C. -SET LOG RESUME
- D. -SET LOG BOTH

Answer: D

NO.3 Which of the following commands can be used to show the client correlation token in order to find details such as the ip-address. port-address and unique-id to identify the distributed transaction?

- A. -DISPLAY FUNCTION SPECIFIC
- B. -DISPLAY THREADH DETAIL
- C. -DISPLAY LOCATION OB.
- D. -DISPLAY DDF DETAIL

Answer: B

NO.4 Which DB2 command is used to turn on the recording of CPU usage information for a package?

- A. -START PROFILE
- B. -START DYNQUERYCAPTURE
- C. -START RLIMIT
- D. -START TRACE

Answer: B

NO.5 The -DISPLAY THREAD(') TYPE(PROC) command can be used to display information about which of the following?

- A. Threads executing under batch jobs
- B. Threads executing stored procedures and user-defined functions
- C. All threads that are actively being processed by DB2
- D. The subset of system agent threads

Answer: B

NO.6 Which service class does not have a goal, but runs with a fixed dispatching priority above all of the other work on the system?

- A. SYSTEM**
 - B. ONLINE**
 - C. SYSSTC**
 - D. SYSOTHER**
- Answer:*** C